2. Ni_2MnSn,Pd_2MnSnの光吸収スペクトル(修士論文アブストラクト(1982年度))

AUTHOR(S):

高倉, 信行

CITATION:

高倉, 信行. 2. Ni_2MnSn,Pd_2MnSnの光吸収スペクトル(修士論文アブストラクト(1982年度)). 物性研究 1983, 40(3): 339-339

ISSUE DATE:

1983-06-20

URL:

http://hdl.handle.net/2433/91020

2. Ni_2MnSn, Pd_2MnSn の光吸収スペクトル

高 倉 信 行

The optical absorption spectra $\epsilon_2(o, \omega)$ of Ni_2MnSn and Pd_2MnSn are evaluated on the basis of the realistic band structure obtained by the tight-binding orthogonalised plane wave (TB-OPW) method. The transitions between OPW in the hybridised states contribute dominantly to the main structure of the spectra, as was the case in Cu_2MnAl. The common properties in $\epsilon_2(o, \omega)$ of the ferromagnetic Heusler alloys X_2MnZ (X = Ni, Pd, Cu; Z = Al, Sn) are examined using the present results and those obtained previously for Cu_2MnAl. Three peaks below 4eV and a peak above 7eV beyond which $\epsilon_2(o, \omega)$ decreases rapidly are observed as the common structures of the three alloys. These structures are related to the d state of Mn in the three alloys.